

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.weylo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/701,235	11/04/2003	Robert A. West	03-987	5256
39310 MBHB/TRAD	7590 06/28/2010 ING TECHNOLOGIES	EXAMINER		
300 SOUTH WACKER DRIVE SUITE 3200 CHICAGO, IL 60606			BARTLEY, KENNETH	
			ART UNIT	PAPER NUMBER
			3693	
			NOTIFICATION DATE	DELIVERY MODE
			06/28/2010	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docketing@mbhb.com williamsd@mbhb.com

Supplemental Notice of Allowability

Application No.	Applicant(s)	
10/701,235	WEST, ROBERT A.	
Examiner	Art Unit	
KENNETHI BARTIEV	3603	

	KENNETTE. BAKTEET 3093
All claims being allowable, PROSECUTION ON THE MERTS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) o NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIG of the Office or upon petition by the applicant. See 37 CFR 1.313 a	or other appropriate communication will be mailed in due course. THIS SHTS. This application is subject to withdrawal from issue at the initiative and MPEP 1308.
1. ☑ This communication is responsive to <u>amended claims filed on</u>	<u>on 05/28/2010</u> .
2. ☑ The allowed claim(s) is/are <u>41-92</u> .	
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	been received.
noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	
 A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives 	tted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF sreason(s) why the oath or declaration is deficient.
CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperso 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the	on's Patent Drawing Review (PTO-948) attached Amendment / Comment or in the Office action of 84(c)) should be written on the drawings in the front (not the back) of
DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT F	it of BIOLOGICAL MATERIAL must be submitted. Note the
Attachment(s)	
Notice of References Cited (PTO-892)	5. Notice of Informal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary (PTO-413), Paper No./Mail Date
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. Examiner's Amendment/Comment
Faper No./Mail Date Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statement of Reasons for Allowance 9. Other

Application/Control Number: 10/701,235 Page 2

Art Unit: 3693

DETAILED ACTION

 Receipt of Applicant's amendment after Notice of Allowance (Rule 312) filed May 28, 2010 is acknowledged.

Response to Amendment

- Claims 1-40 have been previously canceled. Claims 41-67 have been previously allowed. Dependent claims 68-92 are new.
- 4. Claims 41-92 are pending and have been allowed.

Reasons for Allowance

5. The following is an examiner's statement of reasons for allowance:

The claimed invention pertains to a method and product of providing a plurality of windows that have predefined locations for first and second virtual workspaces, where the plurality of windows display information related to at least one or more tradable objects and where the first defined layout is different than the second. The second workspace is associated with a trigger event definition, and when data based on the one or more tradable objects is detected, the second workspace is displayed, where the same windows in the first layout are relocated based on a predefined layout for the second workspace.

Based on prior art search results, the prior art deemed closest to the allowed claim is U.S. Patent No. 5,339,392 to Risberg et al.

Application/Control Number: 10/701,235

Art Unit: 3693

The Applicants Arguments/Remarks on pgs. 11-16 dated May 28, 2010 are incorporated by reference as reasons for allowance.

Dependent claims 42-66 and 68-92 are allowed for the reasons indicated above for their respective independent claims 41 and 67.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KENNETH L. BARTLEY whose telephone number is (571)272-5230. The examiner can normally be reached on Monday through Friday, 8:00 - 5:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jagdish Patel can be reached on (571) 272-6748. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/701,235 Page 4

Art Unit: 3693

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/JAGDISH N PATEL/

Primary Examiner, Art Unit 3693